EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L36	8	35 and tatsuya	US-PGPUB	OR	ON	2007/05/10 14:01
L35	62	Mitsugi.inv.	US-PGPUB	OR	ON	2007/05/10 14:01
L34	782	715/500.ccls.	US-PGPUB	OR	ON	2007/05/10 14:01
L33	642	715/530.ccls.	US-PGPUB	OR	ON	2007/05/10 13:52
S12	85	((non-structure$2) (non adj structure$2)) adj (document$2 file$2 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 13:17
S1	3811	715/500.1,513,532.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 13:17
L31	111	((non-structure$2) (non adj structure$2)) adj (document$2 file$2 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 13:17
L30	4549	715/500.1,513,532.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 13:17
L14	63	(token$2 and markup and meaning$3 and semantic and (structure near3 (document file data)) and (automatic$6 with (add$2 adding) with (content data attribute value)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 11:19
L13	190	12 and @ad<="20030410"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 10:34
L10	382	9 and @ad<="20030410"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 10:16
L12	266	11 and (meaningful and tag)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 10:15
L11	7315	((adding add$2) with (content information data)) with (structure$2 near2 (data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 10:15
L9	540	8 and (meaningful and tag)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 10:15

L8	15017	(add$4 with (content information data)) with (structure$2 near2 (data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 10:15
L1	1311	(add$4 with (content information data)) with (structure$2 near2 (document file))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 10:13
L7	2	("6163779" "7047033").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 10:10
		"6163779" "7047033").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 10:10
L3	84	2 and (meaningful)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 10:09
L6	3	4 5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 09:43
L5	1	"5848386".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 09:43
L4	2	"20020022956"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 09:43
L2	522	1 and tag$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 09:16
		S3 and (structure$2 markup) near3 document$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/10 09:12

IEEE *Xplore* ®
RELEASE 2.3

Welcome United States Patent and Trademark Office

■▣■Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE

Thu, 10 May 2007, 1:29:02 PM EST

Edit an existing query or compose a
new query in the Search Query
Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query
  Display
- Combine search queries using
  AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 ((meaningful words<in>metadata) <and> (tag<in>metadata))<and>
(structure<in>metadata)

#2 ((semantic<in>metadata) <and> (tag<in>metadata))<and> (data
structure<in>metadata)

#3 ((content different from tag)<in>metadata)

#4 ((add or adds or adding <in>metadata) <and> (content or data or
attribute<in>metadata))<and> (tag<in>metadata)

#5 ((adding <in>metadata) <and> (structure document<in>metadata))<and>
(markup tag<in>metadata)

#6 ((syntax<in>metadata) <and> (semantic or meaningful<in>metadata))<and>
(structure document<in>metadata)

#7 (((insert content) or (insert data)<in>metadata) <and> (tag<in>metadata))
<and> (structure<in>metadata)

#8 ((refinement process<in>metadata) <and> (tag<in>metadata))<and>
(structure<in>metadata)

#9 ((insert content to structured document)<in>metadata)

#10 ((plain document<in>metadata) <and> (token<in>metadata))<and> (tag and
structure<in>metadata)

Help   Contact Us   Privac

Indexed by
■ Inspec®

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L32	5	(((plain near3 text) rtf) with (conver$6 translat$4 transcod$4) with (html markup)).CLM.	US-PGPUB	OR	ON	2007/05/10 13:18
		((add$4 with (content data information) with different with tag)) and (meaningful semantic)).CLM.	US-PGPUB	OR	ON	2007/05/10 13:18
L29	0	27 and 28	US-PGPUB	OR	ON	2007/05/10 13:17
L28	109	((((non-structure$2) (non adj structure$2) text) adj (document$2 file$2 data)) with (pars$4 decompos$6)).CLM.	US-PGPUB	OR	ON	2007/05/10 13:17
L27	10	(((non-structure$2) (non adj structure$2)) adj (document$2 file$2 data)).CLM.	US-PGPUB	OR	ON	2007/05/10 13:16
L26	27	(((plain$4 text) near3 (document file)) with token$2).CLM.	US-PGPUB	OR	ON	2007/05/10 11:57
L25	0	(data with relate$2 with meaningful with (storage database) with attribute).CLM.	US-PGPUB	OR	ON	2007/05/10 11:57
L24	0	(data with relate$2 with meaningful with (storage database)).CLM.	US-PGPUB	OR	ON	2007/05/10 11:57
L23	16	(automatic$6 with (add$2 adding) with (content data information attribute) with structure).CLM.	US-PGPUB	OR	ON	2007/05/10 11:56
L22	5	((meaningful semantic) and tag and (attribute value) and (different with tag)).CLM.	US-PGPUB	OR	ON	2007/05/10 11:42
L21	91	((meaningful semantic) and tag and (attribute value)).CLM.	US-PGPUB	OR	ON	2007/05/10 11:40
L19	0	(refinement and (meaningful semantic) and tag and (attribute value)).CLM.	US-PGPUB	OR	ON	2007/05/10 11:40
L20	0	(refinement and (meaningful semantic) and tag).CLM.	US-PGPUB	OR	ON	2007/05/10 11:39
L18	1	((add$4 with (content data information) with different with tag) and (meaningful semantic)).CLM.	US-PGPUB	OR	ON	2007/05/10 11:38
L17	1	(add$4 with (content data information) with different with tag with (meaningful semantic)).CLM.	US-PGPUB	OR	ON	2007/05/10 11:38
		(add$4 with (content data information) with different with tag) and (meaningful semantic)).CLM.	US-PGPUB	OR	ON	2007/05/10 11:38

L16	0	(add$2 with (content data information) with different with tag with (meaningful semantic)).CLM.	US-PGPUB	OR	ON	2007/05/10 11:37
L15	0	(token$2 and markup and meaning$3 and semantic and (structure near3 (document file data)) and (automatic$6 with (add$2 adding) with (content data attribute value))). CLM.	US-PGPUB	OR	ON	2007/05/10 11:36